



K.I.L. STRAP



**HEAVY DUTY
CONSTRUCTION**




**STRONG
NYLON STRAP**

USER MANUAL

EU-KJ89001

The K.I.L. Strap is specifically designed to enhance accuracy while shooting from a tripod-mounted gun rest like the Reaper Grip or Reaper Rail systems. The K.I.L. Strap accomplishes this by tightening your position without requiring additional muscle. The K.I.L. Strap also anchors the shooter, firearm and gun rest to the ground (comparable to how a shooter loads a bipod) and creates opposing forces for an even tighter shooting position. Used properly, stability, shooting position and recoil management are dramatically improved while effectively eliminating fatigue.

1. Nylon Strap
2. 550 Cord
3. Detach Clip(s)
4. Carabiner



GENERAL DESCRIPTION



Brand Name	KJI
Model Name	K.I.L. Strap
Category Name	Accessories
SKU Number	EU-KJ89001
UPC Number	812495029486

TECHNICAL SPECIFICATIONS

Strap size, cm	2,53
Max foot strap length range, cm	139,7
Paracord weight limit, kg	249,5
Material	Nylon
Weight, g	5,6

INCLUDED ACCESSORIES

	Carabiner
--	-----------



MOUNTING

To assemble, simply remove the Reaper Grip or Reaper Rail rest from the tripod. Place the paracord attachment loop over the top of the tripod. Reinstall the Reaper Grip or Reaper Rail while ensuring the paracord loop is not pinched between the Reaper and the tripod head. Next, attach the D-ring to your sling below the front sling-attachment point. All that remains is the strap hanging toward the ground with a loop (stirrup) on the end. Release the adjustment buckle and loosen the strap enough for the stirrup to lay on the ground.

USING THE K.I.L. STRAP

Place your foot through the stirrup up to mid-foot or your heel. Now, assume a solid shooting position with your rear foot in the stirrup.

Grab the strap under the adjustment buckle and pull to tighten the slack out of the K.I.L. Strap. With the slack eliminated, inch your foot back. You'll feel the tripod load and the opposing force of the strap pulling the rifle up. If you have shouldered your rifle properly, the force is now also driving the firearm deeper into your shoulder for a tighter, more stable shooting experience. To relax the load on the tripod or to move, simply lift your foot and remove it from the stirrup or use the adjustment buckle to release strap tension.

WARNING

Before handling the K.I.L. Strap, read and understand the contents of your tripod's manual, and the KJI K.I.L. Strap manual. Follow all standard safety precautions and procedures during use.

- Do not exceed the tripod or K.I.L. Strap's maximum load capacity (K.I.L. Strap max load is 249,5 kg)
- Ensure the K.I.L. Strap is attached to the tripod correctly
- Ensure the K.I.L. Strap is tightened

Please visit www.KJlprecision.com
for warranty details and information